Contents

Conference Photograph viii

Preface ix

Conference Organization x

Opening Addresses xii

Contents xiv

Chapter 1. Physics in very high magnetic fields

High field magnetism at Osaka
M. Date 1

Long duration pulsed magnetic fields: Achievements and challenges
F. Herlach, R. Bogaerts, J. Vanacken and L. Van Bockstal 5

Antiferromagnetically coupled clusters and superconductors in pulsed magnetic fields
S. Foner 13

Experiments in pulsed magnetic fields at AT&T Bell Laboratories
G.S. Boebinger 20

State of the art for long pulse fields at toulouse SNCMP and recent transport and magnetic measurements
S. Askenazy 26

Explosively produced megagauss fields and recent solid state applications
C.M. Fowler, B.L. Freeman, J.S. Brooks, J.D. Goettee, W.L. Hults, J.C. King, F.M. Mueller, D.G. Rickel and J.L. Smith 33

Solid state physics in megagauss fields
N. Miura 40

Chapter 2. High field magnetism

Research in steady high magnetic fields at Sendai
Y. Nakagawa 49

Application of high magnetic fields in solid state physics
M. von Ortenberg 57

Microwave spectroscopy of multisublattice magnet in high pulsed magnetic fields
A.S. Lagutin 63

High field magnetization process in triangular lattice antiferromagnet $CuFeO_2$ up to 100 T
Y. Ajiro, T. Asano, T. Takagi, M. Mekata, H. Aruga Katori and T. Goto 71

Magnetic phase diagram of the triangular lattice antiferromagnet ABX_3 under high magnetic field
T. Asano, Y. Ajiro, M. Mekata, H. Aruga Katori and T. Goto 75

Dynamics of first-order magnetic phase transition: Relaxation phenomena of metamagnetism in $FeTiO_3$
H. Kato and Y. Nakagawa 80

Metamagnetic transition of the reentrant-spin-glass $Fe_{0.65}Mn_{0.35}TiO_3$: Anomalous dependence on sweep rate of magnetic fields
A. Ito, C. Oyama, H. Aruga Katori, T. Goto, H. Kato and Y. Nakagawa 84

Spin-flop transition of the diluted antiferromagnet $Mn_xMg_{1-x}TiO_3$
A. Fukaya, A. Tobo, A. Ito, H. Aruga Katori and T. Goto 88

High-filed magnetism in CeP with multi-step magnetization induced by the landau level crossing
T. Inoue, T. Kuroda, K. Sugiyama, Y. Haga, T. Suzuki, A. Yamagishi and M. Date 91

Magnetization measurements of $R_2Cu_2O_5$ (R = Y, Lu, Sc, In)
H. Ushiroyama, K. Kita, S. Kimura, H. Ohta and M. Motokawa 95

High-field magnetization of $Er_2Fe_3Si_5$
S. Noguchi, K. Okuda, T. Fukushima, T. Takeuchi and A. Yamagishi 99

Change of the fermi surfaces at the magnetic transition in NdI_3
R. Settai, T. Ebihara, H. Sugawara, N. Kimura, M. Takashita, H. Ikezawa, K. Ichihashi and Y.Onuki 102

Multistep magnetization of single crystal TbNiSn and DyNiSn in high fields
M. Kurisu, H. Hori, M. Furusawa, M. Miyake, Y. Andoh, I. Oguro, K. Kindo, T. Takeuchi and A. Yamagishi 107

de Haas-van Alphen effect of singlet ground state TmSb
S. Nimori, G. Kido, H. Matsui, T. Goto, D.X. Li and T. Suzuki 111

High field ESR of $R_2Cu_2O_5$ (R = Y, Lu, Sc, In)
S. Kimura, K. Kaneko, H. Ohta and M. Motokawa 115

Anomalous spin-lattice relaxation of Cu^{2+} spin in the $CaO-P_2O_5$ glasses under high magnetic field
N. Kitamura, H. Ohta, S. Imagawa, H. Ushiroyama, K. Kita and M. Motokawa 119

EPR of kagome antiferromagnet $SrCr_8Ga_4O_{19}$
M. Sumikawa, H. Ohta, M. Motokawa, H. Kikuchi and H. Nagasawa 123

Chapter 3. Intermetallics magnetism

Study of itinerant electron metamagnetism in $Y(Co_{1-x}M_x)_2$, (M = Ni, Fe) in very high magnetic fields
T. Sakakibara, H. Mitamura and T. Goto 127

Field-induced transitions of $Y_{1-x}Gd_x(Co_{0.93}Al_{0.07})_2$ in ultrahigh magnetic fields up to 100 T
T. Goto, H. Aruga Katori, K. Koui, R.Z. Levitin, A.S. Markosyan and Z.M. Gemishidze 131

Ultrahigh field magnetization of YCo_3 hydrides
M.I. Bartashevich, H. Aruga Katori, T. Goto, I. Yamamoto and M. Yamaguchi 135

Anomalous magnetization process of $Er_{1-x}Lu_xCo_2$
H. Wada, T. Mori, M. Shiga, H. Aruga Katori, M.I. Bartashevich and T. Goto 139

Co metamagnetism in $Y_{1-x}Nd_xCo_3$ under ultra high magnetic field
K. Koui, M.I. Bartashevich, T. Goto, H. Aruga Katori and M. Yamaguchi 143

Metamagnetic transition in $LuCo_2$ and its pseudo-binary compounds
K. Murata, K. Fukamichi, T. Goto, H. Aruga Katori, T. Sakakibara and K. Suzuki 147

Effect of pressure on the metamagnetic transition in an itinerant-electron system
H. Yamada 151

High field magnetization of the IV compounds $Ce_xGd_{1-x}Co_2$
J.M. Machado da Silva, T. Seixas, K. Kita, H. Ushiroyama and M. Motokawa 155

Field-induced metamagnetic transition in valence fluctuating compound $YbIn_{1-x}Ag_xCu_4$
H. Aruga Katori, T. Goto and K. Yoshimura 159

Magnetic structure of DyAg in high magnetic field
K. Ubukata, T. Bokui, M. Arai, M. Mino, P. Morin and M. Motokawa 163

Chapter 4. Low-dimensional magnetism

Magnetization of pure and Zn-doped spin-peierls cuprate $CuGeO_3$ in high magnetic field
M. Hase, I. Terasaki, Y. Sasago, K. Uchinokura, M. Tokunaga, N. Miura, G. Kido, T. Hamamoto and H. Obara 167

AC susceptibility in spin-peierls compound $CuGeO_3$ under high magnetic fields
T. Hamamoto, G. Kido, M. Hase, Y. Sasago and K. Uchinokura 171

Far-infrared ESR study of cuprate compounds
N. Adachi, T. Hamamoto, G. Kido, M. Hase, T. Sasago, K. Uchinokura, S. Noro and T. Yamadaya 174

High field ESR of spin-peierls system $CuGeO_3$
S. Imagawa, H. Ohta, M. Motokawa, O. Fujita and J. Akimitsu 178

Theory of ESR absorption from the ground state of NENP
T. Sakai and H. Shiba 182

Nonmagnetic impurity effect on Haldane gap system NiC_2O_4 2DMIz studied by high-field magnetization up to 40 T
H. Kikuchi, Y. Ajiro, N. Mori, H. Aruga Katori, T. Goto and H. Nagasawa 186

Energy versus magnetic-field diagram of the spin-1 Haldane system with an impurity
M. Kaburagi and T. Tonegawa 192

Effects of biquadratic interactions on the magnetization process of $CsMnCl_3 \cdot 2H_2O$
I. Harada and M. Motokawa 196

NMR study on the quantum spin effect of the 1D magnet in high magnetic fields
M. Chiba, Y. Ajiro and T. Morimoto 200

Magnetization process of the one-dimensional Ising-like antiferromagnet with nonmagnetic impurity, $CsCo_{1-x}Mg_xCl_3$
T. Inami, T. Asano, Y. Ajiro and T. Goto 204

ESR measurements of $CsCuCl_3$ in high field phase
H. Ohta, S. Imagawa, M. Motokawa and H. Tanaka 208

Neutron diffraction of $CsCuCl_3$ in high field
M. Mino, K. Ubukata, T. Bokui, M. Arai, H. Tanaka and M. Motokawa 213

Chapter 5. Heavy Fermions and U-compounds

Research in semi-continuous high magnetic fields
J.J.M. Franse, F.R. de Boer, P.H. Frings and A. de Visser 217

Heavy fermion breaking by high magnetic field in single crystal UPd_2Al_3
K. Sugiyama, T. Inoue, K. Oda, T. Kumada, N. Sato, T. Komatsubara, A. Yamagishi and M. Date 227

Field-induced transition of f-electron nature in $CeRu_2Si_2$
H. Aoki, S. Uji, T. Terashima, M. Takashita and Y. Onuki 231

Effect of pressure on the magnetoresistance and magnetostriction of heavy fermion materials
G. Oomi and T. Kagayama 235

ESR study of URu_2Si_2 in high magnetic field
K. Kindo and M. Date 239

Magnetic phase diagram of UNi_2Si_2 in H–T space
T. Takeuchi, K. Watanabe, T. Taniguchi, T. Kuwai, A. Yamagishi and Y. Miyako 243

High-field magnetization of U_2T_2X compounds (T = Co, Ni, Rh, Pd, Ir, Pt and X = In, Sn)
H. Nakotte, K. Prokeš, E. Brück, N. Tang, F.R. de Boer, P. Svoboda, V. Sechovsky, L. Havela, J.M. Winand, A. Seret, J. Rebizant and J.C. Spirlet 247

Metamagnetic transitions and giant magnetoresistance in UNiGe
F.R. de Boer, K. Prokeš, H. Nakotte, E. Bruck, M. Hilbers, P. Svoboda, V. Sechovsky, L. Havela and H. Maletta 251

Chapter 6. Superconductivity

Bound electron pairs in two dimensions at quantizing magnetic fields
H. Akera, A.H. MacDonald and D. Yoshioka 255

Transition temperature of three-dimensional superconducting networks in a magnetic field
Y. Hasegawa, M. Kohmoto and G. Montambaux 259

Magnetoresistance for single crystals of $Bi_2Sr_2CaCu_2O_x$ in pulsed high magnetic fields up to 40 T
K. Nakao, K. Takamuku, K. Hashimoto, N. Koshizuka and S. Tanaka 262

Far-infrared magneto-absorption in epitaxial films of high-T_c superconductors at pulsed high magnetic fields up to 100 T
Y. Shimamoto, T. Takamasu, N. Miura, K. Naito, N. Kubota and Y. Shiohara 266

Chapter 7. Semiconductors and their superlattices, quantum wells

Optical and magnetotransport properties of semimetallic InAs/(In,Ga)Sb superlattices
R.J. Nicholas, M. van der Burgt, M.S. Daly, K.S.H. Dalton, M. Lakrimi, N.J. Mason, D.M. Symons, P.J. Walker, R.J. Warburton, D.J. Barnes and N. Miura 271

Cyclotron resonance measurements on narrow gap semiconductors in megagauss fields
O. Portugall, N. Miura, G. Bauer, R. Schönfeld and M. von Ortenberg 280

Polaron cyclotron resonance and impurity effects in II–VI semiconductors at ultra-high magnetic fields up to 210 T
Y. Imanaka and N. Miura 284

Donors in GaAs and InP at megagauss fields
P. Pfeffer, W. Zawadzki, S.P. Najda, H. Yokoi, S. Takeyama and N. Miura 288

Magnetic confinement of electron-hole plasma in Ge
H. Nakata and T. Ohyama 292

X conduction two-dimensional subband structure and order in AlGaAs/AlAs quantum wells
S. Yamada, K. Maezawa, W.T. Yuen and R.A. Stradling 295

Chapter 8. Fractional quantum Hall effect and electron solids

The extreme quantum regime of 2D electron and hole systems
R.G. Clark, A.G. Davies, S.A. Brown, R.B. Dunford, P.E. Simmonds, A.C. Lindsay, R. Newbury, R.P. Starrett, A. Skougarevsky, E.E. Mitchell, R.P. Tayler, C.J. Mellor, B.L. Gallagher, C.T. Foxon and J.J. Harris 301

Exciton luminescence in the quantum hall and electron solid regimes
D. Heiman, A. Pinczuk, H. Okamura, M. Dahl, B.S. Dennis, L.N. Pfeiffer and K.W. West 315

One and one half: Frontiers in fractional quantum Hall effect theory
A.H. MacDonald 321

Spin waves in double fractional quantum Hall systems
T. Nakajima and H. Aoki 327

Chapter 9. Mesoscopic systems

Bulk versus edge states in quantum hall conduction
T. Ando 331

Magnetophonon resonance in quantum wires
C. Hamaguchi, N. Mori, H. Momose, T. Ezaki, G. Berthold, J. Smoliner, E. Gornik, G. Böhm, G. Weimann, T. Suski and P. Wisniewski 339

Self-consistent confinement potential of quantum wires in high magnetic fields
T. Suzuki and T. Ando 345

Aharonov-Bohm effect in carbon nanotubes
H. Ajiki and T. Ando 349

Heat capacities of multi-quantum well and wire structures in high magnetic fields
J.H. Oh, K.J. Chang, G. Ihm and S.J. Lee 353

Magnetotransport in quasi-ballistic narrow wires
Y. Ochiai, K. Yamamoto, T. Onishi, K. Ishibashi, J.P. Bird, Y. Aoyagi, T. Sugano and D.K. Ferry 357

The interference of edge current states in an electron interferometer
A.A. Bykov, Z.D. Kvon, E.B. Olshanetsky, L.V. Litvin, Ju.V. Nastaushev, V.G. Mansurov, V.P. Migal, S.P. Moschenko and V.G. Pljuhin 361

Mesoscopic photovoltaic effect in a quasiballistic electron interferometer in strong magnetic fields
A.A. Bykov, Z.D. Kvon, E.B. Olshanetsky, L.V. Litvin, Ju.V. Nastaushev, V.G. Mansurov, V.P. Migal and S.P. Moschenko 364

Chapter 10. Tunneling and transport

Quantum chaos in resonant tunneling diodes
T.M. Fromhold, L. Eaves, F.W. Sheard, T.J. Foster, M.L. Leadbeater and P.C. Main 367

High magnetic field tunneling transport in a double quantum well-triple barrier resonant tunneling diode
L.D. Macks, S.A. Brown, R.P. Starrett, R.G. Clark, M.R. Deshpande and M.A. Reed 374

Effect of strong magnetic fields on current voltage characteristics of InAs/GaSb/InAs tunneling devices
T. Takamasu, N. Miura, K. Taira, K. Funato and H. Kawai 380

Charge- and spin-density-wave instabilities in high magnetic fields in graphite
K. Takahashi and Y. Takada 384

Transverse magnetophonon resonance in single crystals of black phosphorus
T. Strutz, N. Miura and Y. Akahama 387

Chapter 11. Magneto-optics

Optical studies of tunneling in a magnetic field
J.C. Maan 391

Low temperature magneto-photoluminescence investigations of the 2D hole system in p-type GaAs–AlGaAs heterojunctions
A.G. Davies, E.E. Mitchell, R.G. Clark, P.E. Simmonds, T.M. Silver, D.A. Ritchie, J.E.F. Frost, M. Pepper and G.A.C. Jones 397

Time-resolved photoluminescence from wide parabolic GaAs/$Al_xGa_{1-x}As$ quantum wells in high magnetic fields
H. Okamura, D. Heiman, L.B. Liao, M. Sundaram and A.C. Gossard 403

Two dimensional exciton states of GaAs/AlAs multi quantum wells under high magnetic fields
T. Yasui, Y. Segawa, Y. Aoyagi, Y. Iimura, G.E.W. Bauer, I. Mogi and G. Kido 407

High-field magnetophotoluminescence in $Cd_{1-x}Co_xSe$ ($x=0.012$) and $Cd_{1-x}Mn_xSe$ ($x=0.10, 0.25$) under high pressures at 4.2 K
Y. Matsuda, N. Kuroda, I. Mogi, G. Kido and Y. Nishina 411

Magneto-optical study of CdTe/$Cd_{1-x}Mn_xTe$ multiple quantum wells under high magnetic fields
S. Kuroda, K. Kojima, K. Kobayashi, Y. Shirai, K. Takita, K. Uchida and N. Miura 415

Magnetophonon oscillation in photoluminescence spectra of modulation-doped GaAs/AlGaAs quantum wells at high magnetic fields
N. Kamata, E. Kanoh, K. Yamada and N. Miura 419

Magneto-optical effects of excitons in the layered perovskite-type material $(C_6H_{13}NH_3)_2(CH_3NH_3)Pb_2I_7$
T. Kataoka, T. Kondo, R. Ito, S. Sasaki, K. Uchida and N. Miura 423

Magnetoabsorption of the lowest exciton in perovskite-type compound $(CH_3NH_3)PbI_3$
M. Hirasawa, T. Ishihara, T. Goto, K. Uchida and N. Miura 427

Magneto-optical measurements of C_{60} epitaxial films under pulsed high magnetic fields up to 150 T
K. Uchida, K. Watanabe, N. Miura, M. Sakurai and A. Koma 431

Magneto-oscillatory spectra in cuprous oxide
K. Hanmura, M. Kobayashi and A. Misu 435

High field faraday rotation in a thin film of single crystal EuTe
H. Hori, R. Akimoto, M. Kobayashi, S. Miyamoto, M. Furusawa, N.M. Kreines, A. Yamagishi and M. Date 438

Chapter 12. Organic conductors and materials

Organic conductors in high and tilted magnetic fields
G. Danner, W. Kang and P.M. Chaikin 442

New clues in the mystery of the ground state of the $(BEDT–TTF)_2MHg(SCN)_4$ family of organic conductors
J.S. Brooks, G.J. Athas, S.J. Klepper, X. Chen, C.E. Campos, S. Valfells, Y. Tanaka, T. Kinoshita, N. Kinosha, M. Tomumoto and H. Anzai 449

Different types of angular magnetoresistance oscillations in the low- and high-temperature states of the organic conductor $(BEDT–TTF)_2KHg(SCN)_4$
M.V. Kartsovnik, A.E. Kovalev, R.P. Shibaeva, L.P. Rozenberg and N.D. Kushch 459

Magnetoresistance oscillations in layered organic conductors $(BEDT–TTF)_2TlHg(XCN)_4$ with X = S and Se
M.V. Kartsovnik, A.E. Kovalev, D.V. Mashovets, D.V. Smirnov, V.N. Laukhin, A. Gilewskii and N.D. Kushch 463

High field studies on the fermi surface and magnetic phase transitions in organic conductor α-$(BEDT–TTF)_2KHg(SCN)_4$
T. Sasaki and N. Toyota 466

Anomalous resistive transition characteristics in the mixed state of high-T_c κ-type BEDT–TTF superconductors
H. Ito, T. Ishiguro, T. Komatsu, G. Saito and H. Anzai 470

Study of the angular dependent magnetoresistance oscillations in $(BEDT–TTF)_2MHg(SCN)_4$ [M: K, NH_4]
Y. Iye, R. Yagi, N. Hanasaki, S. Kagoshima, H. Mori, H. Fujimoto and G. Saito 474

Magnetic breakdown and fermi surface nesting in the organic conductor $(BEDT–TTF)_2TlHg(SCN)_4$
S. Uji, T. Terashima, H. Aoki, M. Tokumoto, T. Kinoshita, N. Kinoshita, Y. Tanaka and H. Anzai 479

High field magnetotransport of the organic superconductor κ-$(BEDT–TTF)_2Cu(NCS)_2$ under pressure
W. Lubczynski, J. Caulfield, F.L. Pratt, J. Singleton, W. Hayes, M. Kurmoo and P. Day 483

Field-induced spin density wave and quantum Hall effect in $(TMTSF)_2X$
K. Machida, Y. Hasegawa, M. Kohmoto, Y. Hori and K. Kishigi 487

Effects of superlattice on a novel magnetic oscillatory phenomenon in low dimensional organic conductors $(TMTSF)_2X$
H. Shinagawa, S. Kagoshima, T. Osada and N. Miura 490

Heat capacity and magnetoresistance of the alloy of pristine and fully deuterated $(DMeDCNQI)_2Cu$ – is the heavy electron model applicable?
S. Kagoshima, Y. Saito, A. Miyazaki, N. Wada, H. Yano, T. Osada, R. Kato, N. Miura and H. Kobayashi 493

Organic radical crystals, α-nitronyl nitroxide family: High-field magnetization study
Y. Hosokoshi, M. Tamura, D. Shiomi, N. Iwasawa, K. Nozawa, M. Kinoshita, H. Aruga Katori and T. Goto 497

Chapter 13. Magnet laboratory facilities and technology

The Francis Bitter national magnet laboratory at MIT: an update
L.G. Rubin, R.J. Weggel, E.J. McNiff Jr. and T. Vu 500

The national high magnetic field laboratory : A new facility in support of high field research – DC facility in Tallahassee
B.L. Brandt, J.E. Crow, H.J. Schneider-Muntau, D.M. Parkin and N.S. Sullivan 504

The Nijmegen high magnet laboratory and Its experimental facilities
J.A.A.J. Perenboom, K. van Hulst, S.A.J. Wiegers and J.C. Maan 507

The high field laboratory for superconducting materials at Tohoku University
G. Kido, K. Watanabe and Y. Nakagawa 512

40 Tesla class hybrid magnet system
K. Inoue, T. Takeuchi, T. Kiyoshi, K. Itoh, K. Takehana, H. Wada, H. Maeda, T. Fujioka, S. Murase, Y. Wachi, S. Hanai, Y. Dozono and T. Kojo 517

21.1 Tesla superconducting magnet with 50 mm clear bore
M. Oshikiri, K. Inoue, T. Kiyoshi, T. Takeuchi, K. Itoh, K. Takehana, M. Kosuge, Y. Iijima and H. Maeda 521

High magnetic field facilities and research at Hefei
J.L. Chen, B.J. Gao, W.F. Yuan, Y.F. Bi, L.R. Ding, Q.L. Huang, J.H. Wang, F.T. Wang, X.N. Liu, G.C. Han and S.L. Yuan 526

The Amsterdam high-field facility
R. Gersdorf, P.H. Frings, J.J.M. Franse and F.R. de Boer 530

Today's and tomorrow's pulsed field facility in Toulouse
S. Askenazy, R. Barbaste, J. Marquez, D. Ricart and H. Soupene 535

Pulsed field magnets at the US NHMFL
L.J. Campbell, J.E. Crow, D.M. Parkin, H.J. Schneider-Muntau and N.S. Sullivan 538

The K.U. Leuven pulsed high magnetic field facility
F. Herlach, R. Bogaerts, I. Deckers, G. Heremans, L. Li, G. Pitsi, J. Vanacken, L.Van Bockstal and A. Van Esch 542

Pulsed and high temperature superconducting magnet technology in Oxford
H. Jones, R.G. Jenkins, M. Van Cleemput, R.J. Nicholas, W.J. Siertsema and M. van der Burgt 546

Pulsed high magnetic field facility at Osaka University
A. Yamagishi and M. Date 551

Copper–silver wire coils for pulsed magnet
T. Asano, Y. Sakai, M. Oshikiri, K. Inoue, H. Maeda, G. Heremans, L. Van Bockstal, L. Liang and F. Herlach 556

Seventy Tesla non-destructive pulsed magnetic fields at AT&T Bell laboratories
G.S. Boebinger, A. Passner and J. Bevk 560

Australian national pulsed magnet laboratory for condensed matter physics research
R.G. Clark, R.P. Starrett, R. Newbury, A.V. Skougarevsky, S.A. Brown, A.G. Davies, R.B. Dunford, D. Olatona, L.D. Macks, E.E. Mitchell and R.P. Taylor 565

The humboldt high magnetic field center in Berlin
M. von Ortenberg, O. Portugall, H.-U. Müller, N. Puhlmann, M. Thiede, G. Machel, M. Barczewski and J. Breitlow-Hertzfeld 572

Design and performance of pulsed-field magnets with an optimized ice/fibre reinforcement
G. Machel, M. Motokawa, M. von Ortenberg, L. Li, L. Van Bockstal and F. Herlach 575

Generation of 500 T fields by electromagnetic flux compression and their application to cyclotron resonance experiments
H. Nojiri, T. Takamasu, S. Todo, K. Uchida, T. Haruyama, H. Aruga Katori, T. Goto and N. Miura 579

Research on high magnetic fields in NIMC
H. Yokoi, Y. Kakudate, S. Usuba, M. Yoshida and S. Fujiwara 584

Chapter 14. Measuring techniques and new areas

A high sensitive magnetometer by using dynamic Faraday method
T. Takeuchi, A. Yamagishi, K. Nishikawa, P. Ahmet, S. Matsuyama and M. Date 589

High field magnetostriction by interference method using an optical fiber
T. Takeuchi, M. Abliz, A. Yamagishi, P. Morin and M. Date 593

Advances in dilution refrigeration in high magnetic fields
J.D. Hutchins, N.H. Balshaw, G.J. Batey, R. Ling, J.P. White and E.P. Whitehurst 597

High field magnetic orientation of red blood cells
T. Takeuchi, T. Mizuno, T. Higashi, A. Yamagishi and M. Date 601

Pattern formation of electrodeposit of zinc in magnetic fields
I. Mogi, M. Kamiko, S. Okubo and G. Kido 606

Hysteresis effect of magnetic field on electron transfer processes in electrochemical reaction
R. Aogaki, T. Negishi, M. Yamato, E. Ito and I. Mogi 611

List of Contributors 617

Subject Index 621